



World's Finest Products For Harley-Davidsons

NEW SANTEE FAIRINGS AND WINDSCREENS WITH APPROVAL

SANTEE



LESS FATIGUE, SMOOTHER RIDE | HIGH QUALITY MATERIALS | BETTER AERODYNAMIC | ELEVATES THE DESIGN OF YOUR RIDE



Anarchy Semifairing



Fury Semifairing



**Replacement Windscreen
for Low Rider ST**



**Replacement Windscreen
for Sport Glide**

WWW.CUSTOM-CHROME-EUROPE.COM



Batwing SML Fairing

Enhance your custom motorcycle's design with the Batwing SML fairing, featuring a sleek black ABS plastic shell. The clear PMMA screens are available in two different heights. Easy to install with the model related bracket kit containing instructions and necessary hardware. All bracket kits in conjunction with the Batwing SML Windsshield are approved by the German KBA. Select the screen of your choice.

The Approval Document is valid for the following Models: 09-20 XL883N, 15-20 XL1200X, 19-20 XL1200XS, 18-20 FXLR, 18-20 FXBB, 21-24 FXBBS, 07-17 FXDB, 15-20 XG750, 17-24 Scout, 17-20, 23-24 Scout Sixty, 18-24 Scout Bobber, 23-24 Scout Bobber Sixty

• How to order Santee Batwing SML Fairings:

- 1. Choose Fairing
- 2. Select the matching bracket
- 3. Add your choice of screen

Certification: With Approval , Qty.: 1

DESCRIPTION	COLOR	FITMENT	PART#
Fairing without Screen and Bracket; Height 345 mm x Width 490 mm	Flat Black	15-20 Street, (except 18-20 XG750A), 09-12 XL1200N, 09-20 XL883N, 16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200NS, 19-20 XL1200XS, 06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC, 18-20 FXLR, 18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 23-24 Nightster Special RH975S, 15-24 Scout, 16-20, 23-24 Scout Sixty, 18-24 Scout Bobber, 21-24 Scout Bobber Twenty, 23-24 Scout Bobber Sixty	930255
Fairing without Screen and Bracket; Height 345 mm x Width 490 mm	Gloss Black	15-20 Street, (except 18-20 XG750A), 09-12 XL1200N, 09-20 XL883N, 16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200NS, 19-20 XL1200XS, 06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC, 18-20 FXLR, 18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 23-24 Nightster Special RH975S, 15-24 Scout, 16-20, 23-24 Scout Sixty, 18-24 Scout Bobber, 21-24 Scout Bobber Twenty, 23-24 Scout Bobber Sixty	929691
Bracket		06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC	929708
Bracket		09-20 XL883N, 09-12 XL1200N, 19-20 XL1200NS	929704
Bracket		15-20 Street, (except 18-20 XG750A)	929705
Bracket		15-24 Scout, 16-20, 23-24 Scout Sixty	929709
Bracket		16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200XS	929707
Bracket		18-20 FXBB, 20-24 FXST, 21-24 FXBBS	929711
Bracket		18-20 FXLR	929706
Bracket		18-24 Scout Bobber, 21-24 Scout Bobber Twenty, 23-24 Scout Bobber Sixty	929710
Screen; Sport; Height 45 mm x Width 370 mm	Clear		929724
Screen; Sport; Height 45 mm x Width 370 mm	Tinted		929725
Screen; Touring; Height 145 mm x Width 370 mm	Clear		929726
Screen; Touring; Height 145 mm x Width 370 mm	Tinted		929727



Dark Night Semifairing

For those seeking a sporty fairing for their custom motorcycle, whether it's a Harley-Davidson or Indian motorcycle, the Dark Night fairing is the ideal choice. The Sporty Design features a sleek and a striking appearance, while ensuring the best driving experience. It adapts seamlessly to the headlight shapes. Easy to install with the model related bracket kit containing instructions and necessary hardware. All bracket kits in conjunction with the Dark Night Semifairing are approved by the German KBA. Select the screen of your choice.

The Approval Document is valid for the following Models: 15-20 XG750, 07-17 FXDB, 15-20 XL1200X, 19-20 XL1200XS, 18-20 FXLR, 18-20 FXBB, 21-24 FXBBS, 17-24 Scout, 17-20, 23-24 Scout Sixty, 18-24 Scout Bobber, 23-24 Scout Bobber Sixty

- How to order Santee Dark Night Fairings:
 1. Choose Fairing
 2. Select the matching bracket
 3. Add your choice of screen

Description: Dimensions Fairing with Screen, Height 470 mm x Width 460 mm , Certification: With Approval , Qty.: 1

DESCRIPTION	COLOR	FITMENT	PART#
Semifairing without Bracket and Screen	Flat Black	15-20 Street, (except 18-20 XG750A), 16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200XS, 06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC, 18-20 FXLR, 18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 15-24 Scout, 16-20, 23-24 Scout Sixty, 18-24 Scout Bobber, 21-24 Scout Bobber Twenty, 23-24 Scout Bobber Sixty	930257
Semifairing without Bracket and Screen	Gloss Black	09-20 XL883N, 09-12 XL1200N, 19-20 XL1200NS	929692
Semifairing without Bracket and Screen	Gloss Black	15-20 Street, (except 18-20 XG750A), 16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200XS, 06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC, 18-20 FXLR, 18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 15-24 Scout, 16-20, 23-24 Scout Sixty, 18-24 Scout Bobber, 21-24 Scout Bobber Twenty, 23-24 Scout Bobber Sixty	929693
Bracket		06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC	929717
Bracket		09-20 XL883N, 09-12 XL1200N, 19-20 XL1200NS	929713
Bracket		15-20 Street, (except 18-20 XG750A)	929714
Bracket		15-24 Scout, 16-20, 23-24 Scout Sixty	929718
Bracket		16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200XS	929716
Bracket		18-20 FXBB, 20-24 FXST, 21-24 FXBBS	929720
Bracket		18-20 FXLR	929715
Bracket		18-24 Scout Bobber, 21-24 Scout Bobber Twenty, 23-24 Scout Bobber Sixty	929719
Screen	Dark Tinted		929729
Screen	Tinted		929728

NEW PRODUCTS



929694/929742



929695/929739



929742



929737



929738



929739



929740



929741



Mirage Semifairing

Upgrade your custom motorcycle with the Dark Night semi-fairing, perfect for Harley-Davidson and Indian motorcycles. With enhanced driving experience it adapts perfectly to your headlight. Easy to install with the model related bracket kit containing instructions and necessary hardware. All bracket kits in conjunction with the Mirage Semifairing are approved by the German KBA. Select the screen of your choice.

The Approval Document is valid for the following Models: 18-20 FXBB, 21-24 FXBBS

- How to order Santee Mirage Fairings:
- 1. Choose Fairing
- 2. Select the matching bracket
- 3. Add your choice of screen

Certification: With Approval , Qty.: 1

DESCRIPTION	COLOR	FITMENT	PART#
Semifairing without Bracket and Screen; Height 400 mm x Width 530 mm	Flat Black	18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 23-24 Nightster Special RH975S	929694
Semifairing without Bracket and Screen; Height 400 mm x Width 530 mm	Gloss Black	18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 23-24 Nightster Special RH975S	929695
Bracket		18-20 FXBB, 20-24 FXST, 21-24 FXBBS	929722
Screen; Sport; Height 60 mm x Width 280 mm	Clear		929737
Screen; Sport; Height 60 mm x Width 280 mm	Dark Tinted		929739
Screen; Sport; Height 60 mm x Width 280 mm	Tinted		929738
Screen; Touring; Height 160 mm x Width 280 mm	Clear		929740
Screen; Touring; Height 160 mm x Width 280 mm	Dark Tinted		929742
Screen; Touring; Height 160 mm x Width 280 mm	Tinted		929741



929736

929732

929731

929733



929735

929734



929730



Fury Semifairing

Enhance the Harley-Davidson Sportster S with the Fury Semifairing for improved aerodynamics and a personalized look. Batwing style inspired by white sharks, perfectly integrates with the motorcycle's tank. Reduces air impact on the rider, minimizing turbulence and fatigue. Made from durable ABS plastic and 4 mm thick CN acrylic screens (must be purchased separately), offering high resistance to impacts and aging. Available in matte black or glossy black. Matching screens are available as Sport (aggressive and minimalist) and Touring (better protection), available in clear, tinted, dark tinted, and black (only Sport screen). Easy to install with the model related bracket kit containing instructions and necessary hardware. All bracket kits in conjunction with the Fury Semifairing are approved by the German KBA. Select the screen of your choice.

The Approval Document is valid for the following Models: 21-24 Sportster S RH1250S

- How to order Santee Fury Fairings:
 1. Choose Fairing
 2. Select the matching bracket
 3. Add your choice of screen

Certification: With Approval , Qty.: 1

DESCRIPTION	COLOR	FITMENT	PART#
Semifairing without Bracket and Screen; Height 370 mm x Width 550 mm	Flat Black	21-24 Sportster S RH1250S	929696
Semifairing without Bracket and Screen; Height 370 mm x Width 550 mm	Gloss Black	21-24 Sportster S RH1250S	929697
Bracket		21-24 Sportster S RH1250S	929721
Screen; Sport; Height 65 mm x Width 350 mm	Black		929733
Screen; Sport; Height 65 mm x Width 350 mm	Clear		929730
Screen; Sport; Height 65 mm x Width 350 mm	Dark Tinted		929732
Screen; Sport; Height 65 mm x Width 350 mm	Tinted		929731
Screen; Touring; Height 115 mm x Width 350 mm	Clear		929734
Screen; Touring; Height 115 mm x Width 350 mm	Dark Tinted		929736
Screen; Touring; Height 115 mm x Width 350 mm	Tinted		929735



Anarchy Semifairing

Enhance your custom motorcycle's look with the Anarchy Semifairing. Constructed from highly impact-resistant materials with excellent aerodynamic properties. Compatible with Harley-Davidson and Indian motorcycles. Designed specifically for each motorcycle model, ensuring a perfect fit to the headlight shape. Combines sportiness and protection. Provides an extreme look while protecting both the motorcycle and the rider. Easy to install with the model related bracket kit containing instructions and necessary hardware. All bracket kits in conjunction with the Anarchy Semifairing are approved by the German KBA.

The Approval Document is valid for the following Models: 15-20 XL1200X, 19-20 XL1200XS, 18-20 FXLR, 18-20 FXBB, 21-24 FXBBS, 07-17 FXDB, 15-20 XG750, 17-24 Scout, 17-20, 23-24 Scout Sixty

Certification: With Approval , Qty.: 1

DESCRIPTION	COLOR	FITMENT	PART#
Semifairing without Bracket; Height 385 mm x Width 250 mm	Flat Black	15-20 Street, (except 18-20 XG750A), 18-20 FXLR, 18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200XS, 06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC, 15-24 Scout, 16-20, 23-24 Scout Sixty	930254
Semifairing without Bracket; Height 385 mm x Width 250 mm	Gloss Black	15-20 Street, (except 18-20 XG750A), 18-20 FXLR, 18-20 FXBB, 20-24 FXST, 21-24 FXBBS, 16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200XS, 06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC, 15-24 Scout, 16-20, 23-24 Scout Sixty	929690
Bracket		06 FXDBI, 07-17 FXDB, 14 FXDBB, 16 FXDBC	929702
Bracket		15-20 Street, (except 18-20 XG750A)	929699
Bracket		15-24 Scout, 16-20, 23-24 Scout Sixty	929703
Bracket		16-20 XL1200X, 18 XL1200X ANX, 19-20 XL1200XS	929701
Bracket		18-20 FXLR	929700
Bracket		21-24 FXBBS	930258



929743

929744

929745

929746



929747



929748



929749



929744



Replacement Windscreen for Low Rider ST

The Santee Replacement windscreens for Low Rider ST enhance the aerodynamic protection of your motorcycles with original semi-fairings, perfectly complementing their aesthetic. Available in Sport (238 mm) and Touring (385 mm) versions, riders can select the best fit for their needs. Wind tunnel-designed, these screens tilt closer to the rider, reducing frontal air impact, eliminating turbulence and helmet vibrations, and significantly increasing comfort and reducing fatigue. The Sport version reduces aerodynamic pressure by 30%, while the Touring version achieves a 47% reduction. Manufactured from 4 mm thick acrylic, these screens are highly impact-resistant and transparent. Their rounded edges enhance safety and meet stringent standards like the German regulations. Installation is straightforward, requiring no mechanical expertise. Fits to the OEM mounting points!

The Approval Document is valid for the following Models: 22-24 FXLRST

Fitment: 22-24 FXLRST , Certification: With Approval , Unit: Each , Qty.: 1

PART#	GLASS COLOR	DESCRIPTION
929747	Tinted	Touring; Height 385 mm x Width 500 mm
929748	Dark Tinted	Touring; Height 385 mm x Width 500 mm
929749	Clear	Touring; Height 385 mm x Width 500 mm
929743	Tinted	Sport; Height 238 mm x Width 480 mm
929744	Dark Tinted	Sport; Height 238 mm x Width 480 mm
929745	Clear	Sport; Height 238 mm x Width 480 mm
929746	Black	Sport; Height 238 mm x Width 480 mm



Replacement Windscreen for Sport Glide

The Replacement windscreen for Softail Sport Glide provide enhanced aerodynamic protection for your motorcycles with original semi-fairings, perfectly complementing their aesthetics. The windscreens come in two versions: Sport (150 mm) and Touring (250 mm). The wind tunnel-tested design directs airflow away from the rider, reducing turbulence and helmet vibrations, significantly increasing riding comfort. The Sport version decreases aerodynamic pressure by 30%, while the Touring version achieves a 47% reduction. Manufactured in Europe from 4 mm thick acrylic, the windscreens are highly impact-resistant. Their rounded edges enhance safety and meet strict standards such as the German regulations. Installation is simple and requires no mechanical knowledge. Fits to the OEM mounting points!

The Approval Document is valid for the following Models: 18-24 FLSB

Fitment: 18-24 FLSB , Certification: With Approval , Unit: Each , Qty.: 1

PART#	GLASS COLOR	DESCRIPTION
929750	Tinted	Sport; Height 150 mm x Width 400 mm
929751	Dark Tinted	Sport; Height 150 mm x Width 400 mm
929752	Clear	Sport; Height 150 mm x Width 400 mm
929753	Black	Sport; Height 150 mm x Width 400 mm
929754	Tinted	Touring; Height 250 mm x Width 400 mm
929755	Dark Tinted	Touring; Height 250 mm x Width 400 mm
929756	Clear	Touring; Height 250 mm x Width 400 mm



check our dealer store | www.custom-chrome-europe.com



Custom Chrome Europe GmbH | Carl-von-Ossietzky-Straße 8 | 55459 Grolsheim/Germany
 Phone: +49 (0) 6721 - 4 007 - 0 | e-mail: info@customchrome.de | Managing Director: Thomas Noetzel
 Mainz Local Court | Commercial Registry No. 45562 | VAT No. DE811309246